The Québec Newborn Hearing Screening Program

Between 4 and 6 of every 1,000 babies are born with some degree of hearing loss in one or both ears. Parents and caregivers of hearing-impaired infants may not realize for some time that their children have a hearing loss. The Québec Newborn Hearing Screening Program offered by Ministère de la Santé et des Services sociaux makes it possible to detect hearing problems in newborn infants. It is a **free service** available to all babies born in Québec.

The program is designed to detect deafness in the very first months of life, so the necessary intervention can occur promptly. Screening is quick and there's no discomfort or risk for the child. The test is usually administered within hours of birth, when your newborn is quiet or asleep. You will receive the results as soon as the test is finished, and you'll also be informed if other tests are needed.



Québec Newborn Hearing Screening Program

After your baby is born, you'll be invited to take part in the Québec Newborn Hearing Screening Program.

The decision to participate or refuse is up to you.

You'll be able to ask questions and take time to think it over, if necessary. You will be asked to fill out a consent form indicating your decision.



You can also contact Services Québec by phone at 1877 644-4545 (toll free)

For persons with a hearing or speech impairment:

1 800 361-9596 (toll free)




Deafness

Deafness is the inability to hear sounds. Some people are born deaf, others lose their hearing later in life. Certain factors can cause deafness—or it may have no obvious cause.

Deafness can be related to a malformation or malfunctioning of the outer ear, middle ear, or inner ear. There are varying degrees of deafness. It can affect the ability to hear certain sounds (such as deep or high-pitched ones), or all sounds.

Lastly, some types of hearing loss are temporary and can be treated medically, while other types are permanent.









Tests used to screen for hearing loss

The most commonly used screening procedure involves **otoacoustic emissions**. The person administering the test places a tiny device in your baby's ear. It emits sounds and records the ear's response, which reflects back like an echo.



If your child doesn't pass the otoacoustic emissions test, or if certain risk factors for deafness are identified, a different procedure, the **auditory brainstem response**, will be used. In this case, the screener inserts a small device in the baby's ear and puts three self-adhesive sensors on the child's head. The device makes sounds and using these sensors, records the response.

With both tests, the response is automatically recorded in minutes. Your child is considered to have passed the screening if good response is recorded for both ears.

PHASES

of the Hearing Screening Program

- 1 An initial test is given at the hospital or birthing center shortly after your child is born. Two attempts can be made at this time.
- 2 If the screening test is not successful, it should be repeated about two weeks later.
- If the screening test is still not successful, a diagnostic confirmation exam is required.

Hearing screening results

If your baby passes the screening test for both ears, it most likely means that your child hears well.

If your baby does'nt pass, it does'nt mean that he or she is deaf. Very often a child will not pass the first time the test is administered. Certain factors can interfere with the recording of responses—for instance, if the child is fussing when the test is given or if liquid or debris is temporarily present in the ear canal.

In such cases, you'll be asked to return two weeks later, usually to the facility where your child was born, to repeat the procedure. Most babies pass the screening test the second time around.

Diagnostic confirmation examinations

If your baby does not pass the screening tests, an audiologist should conduct more in-depth tests to assess hearing ability. These examinations will tell you if your child hears normally or if there is hearing loss in one or both ears.

ADVANTAGES

of the Hearing Screening Program

- » Deafness can be detected shortly after birth.
- » Intervention can occur promptly, if needed (hearing aids, strategies to communicate with the child, etc.).
- Testing is quick, painless, and poses no risk to your child.
- » Results are available as soon as the test is finished.

DRAWBACKS or LIMITATIONS of the Hearing Screening Program

- » More than one screening test may be needed.
- You may need to return to the hospital a few times during your baby's first weeks of life.
- Screening tests may not be successful even if the child hears well, requiring more in-depth testing at a facility where a diagnostic confirmation can be made.
- » Childhood deafness may not be detected by the screening test, or may develop during a child's early years.

Some parents may worry if their children have to undergo further examinations, or while they await test results. Your health professionals are available to discuss your concerns and answer your questions.

Parental monitoring

Certain forms of deafness are not detected by the screening test or may develop during a child's early years. Therefore it's important to monitor your child's hearing capability, even if the initial screening test results were good.

The program website describes several indicators you can use to measure your child's ability to communicate. If you're concerned about how well your child hears, talk to a doctor; comprehensive tests can be administered at any age.

www.msss.gouv.qc.ca/depistage-surdite

Monitoring by audiologists

Some factors increase the risk that a baby may become deaf.

Here are several examples:

- » Deafness in the family
- » Malformation of the head or ears
- » Certain complications at birth
- Certain infections contracted during pregnancy or at birth
- » Presence of a syndrome associated with deafness

If your newborn passed the screening test at birth but one or more risk factors are present, a comprehensive hearing exam during baby's first year will be recommended.